



125 MTCE Approved JMA Antennas




Pooled Models with additions coming in 2026

Model	Pooling	HBW	Height	Low Band Ports	Mid Band Ports	3.5GHz Ports	Total Ports
MX06FHG665-HG	Yes	65°	6'	2	4		6
MX06FHG865-HG	Yes	65°	8'	2	4		6
MX06FIT665-02E	Yes	65°	6'	2	4		6
MX06FIT845-02	Yes	45°	8'	2	4		6
MX06FIT865-02E	Yes	65°	8'	2	4		6
MX06FIT865-03E	Yes	65°	8'	2	4		6
MX06FRO660-02E	Yes	60°	6'	2	4		6
MX06FRO840-02	Yes	40°	8'	2	4		6
MX06FRO860-02E	Yes	60°	8'	2	4		6
MX06FRO860-03	Yes	60°	8'	2	4		6
MX10FIT865-03	Yes	65°	8'	2	4	4	10
MX10FRO660-03	Yes	60°	6'	2	4	4	10
MX10FRO860-03	Yes	60°	8'	2	4	4	10
MX04FIT865-03E	Jan-26	65°	8'	4			4
MX04FRO645-02E	Jan-26	45°	6'	4			4
MX04FRO845-02E	Jan-26	45°	8'	4			4
MX08FHG665-HG	Jan-26	65°	6'	4		4	8
MX08FHG865-BHG	Jan-26	65°	8'	4		4	8
MX08FIT265-01	Jan-26	65°	2'	4		4	8
MX08FIT665-02E	Jan-26	65°	6'	4		4	8
MX08FIT865-B02E	Jan-26	65°	8'	4		4	8
MX08FRO660-02E	Jan-26	60°	6'	4		4	8
MX08FRO860-B02E	Jan-26	60°	8'	4		4	8
MX12FHG865-01	Jan-26	65°	8'	4	8		12
MX12FRO845-01	Jan-26	45°	8'	4	8		12
MX16FSS833-01	Jan-26	33°	8'	8	8		16

MTCE Approved 3 Sector <= 10 Ports Models (23 Models)



60° FRO (8 Models)			65° FIT (8 Models)			65° FHG (4 Models)		65° FFP (3 Models)
								
60° HBW			65° HBW					
LB+MB	+3.5GHz		LB+MB		LB+MB +3.5GHz	LB+MB	+3.5GHz	LB+MB+3.5GHz
Urban-Suburban (3 Sector Interference Limited)			Multi-Purpose (3 Sector Rural - Suburban – Urban)			High Gain (3 Sector Suburban – Rural)		Site Constraints (Flagpole)
Hexport (LB Dual Tilt)	Hexport	10-Port	Hexport (LB Dual Tilt)	Hexport	10-Port	Hexport -HG Model	10-Port	4 (10-Port Capable)
2	2	2	2	2	2	2	2	2
4	4	4	4	4	4	4	4	4
-	-	4	-	-	4	-	4	4
	MX06FRO460-02E			MX06FIT465-02E	MX10FIT465-02			MX04FFP465-01
MX06FRO660-03	MX06FRO660-02E	MX10FRO660-03		MX06FIT665-02E	MX10FIT665-02	MX06FHG665-HG	MX10FHG665-HG	MX04FFP665-01
MX06FRO860-03	MX06FRO860-02E	MX10FRO860-03 MX10FRO860-B02 (Wide CBRS VBW)	MX06FIT865-03E	MX06FIT865-02E	MX10FIT865-03 MX10FIT865-B02 (Wide CBRS VBW)	MX06FHG865-HG	MX10FHG865-HG	MX04FFP865-01

Bold indicates Models currently in Pooling




Bold indicates Models moving from Pooling 1/26

[Return to Antenna List](#)

As of 9-18-25





[Return to ToC](#)

MTCE Approved 3 Sector > 10 Ports Macro Models (16 Models)

	60° HBW FRO	65° HBW (FIT/FRO/FHG/FHP)				
						
Antenna Type	Hexport Based		Single Antenna Solution			
Application	Urban-Suburban (Interference Limited)	Multi-Purpose Rural/Suburban/Urban		Suburban/Rural High Gain	Multi-Purpose Rural/Suburban /Urban	+ C-Band Beamforming
Features	+ C-Band		Dual Hexport	Dual High Gain Hexport	Dual Hexport + CBRS	Dual Hexport + 3.5GHz Beamforming
Total Ports	14	14	12	12	16	20
Ports (698-894 MHz)	2	2	4	4	4	4
Ports (1695-2200 MHz)	4	4	8	8	8	8
Ports (3400-4200 MHz)	8 (Beamforming)	8 (Beamforming)	-	-	4 (3400-3980)	8 (Beamforming)
4 ' Model (5 Models)	MX14FRO460-01	MX14FIT465-01	MX12FIT465-01	-	MX16FIT465-02	MX20FRO465-01
6' Model (5 Models)	MX14FRO660-01	MX14FIT665-01	MX12FIT665-01	-	MX16FIT665-02	MX20FRO665-01
8' Model (6 Models)	MX14FRO860-01	MX14FIT865-01	MX12FIT865-01	MX12FHG865-01	MX16FIT865-B02	MX20FRO865-01

Bold indicates Models currently in Pooling
Bold indicates Models moving into Pooling 1/26


MTCE Approved 4 and 6 Sector Macro Models (27 Models)

	40° FRO (7 Models)		45° FIT (7 Models)		45° FRO (9 Models)			45° FHG (1 Model)	65° LB 2 x 33° MB FSS	2 x 33° LB 2 x 33° MB FSS	2 x 33° LB 2 x 33° MB FSS
											
HBW	40° HBW		45° HBW					45° HBW	33° HBW (Split 65°)		
Bands	LB+MB	+3.5GHz	LB+MB	+3.5GHz	+3.5GHz	LB+MB	+3.5GHz	LB+MB	LB+MB	LB+MB	LB+MB
Application	Urban-Suburban (4 sector and other)								Urban-Suburban (6 sector and other)		
Ports Model	6 Hexport	10 Hexport +3.5GHz	6 Hexport	10 Hexport +3.5GHz	14 Hexport + 4.5 GHz BF	12 Dual Hexport	16 Dual Hexport +3.5GHz	12 Dual Hexport	12 Split MB	16 Split LB & MB	24 Split LB & MB 4T8R
Ports (698-894 MHz)	2	2	2	2	2	4	4	4	4	8	8
Ports (1695-2200 MHz)	4	4	4	4	4	8	8	8	8	8	16
Ports (3400-4200 MHz)	-	4	-	4	8 (Beamforming)	-	4 (3400-3980)	-	-	-	-
4 ‘ Model (8 Models)	MX06FRO440-02	MX10FRO440-02	MX06FIT445-02	MX10FIT445-02	MX14FRO445-01	MX12FRO445-01	MX16FRO445-02	MX12FHG445-01	-	-	-
6’ Model (7 Models)	MX06FRO640-02	MX10FRO640-03	MX06FIT645-02	MX10FIT645-02	MX14FRO645-01	MX12FRO645-01	MX16FRO645-02	-	-	-	-
8’ Model (12 Models)	MX06FRO840-02	MX10FRO840-03 MX10FRO840-B02 (Wide CBRS VBW)	MX06FIT845-02	MX10FIT845-02 MX10FIT845-B02 (Wide CBRS VBW)	MX14FRO845-01	MX12FRO845-01	MX16FRO845-B02	-	MX12FSS865-01	MX16FSS833-01	MX24FSS833-01

Bold indicates Models currently in Pooling
Bold indicates Models moving from Pooling 1/26
Bold indicates Models moving into Pooling 1/26

As of 9-18-25

MTCE Approved High Gain Models (8 Models)

								
Summary	High Gain Hexport		High Gain Low Band + 3.5GHz (Complements Mid Band FD-MIMO)		High Gain Hexport + 3.5GHz		Dual High Gain Hexport	Dual High Gain Hexport
Total Ports	6		8		10		12	12
Ports (698-894 MHz)	2		4		2		4	4
Ports (1695-2200 MHz)	4		-		4		8	8
Ports (3400-4200 MHz)	-		4		4		-	-
Size Class	6'	8'	6'	8'	6'	8'	4'	8'
Dimensions (in)	72 x 12.2 x 7.5	96 x 12.2 x 7.5	72 x 20 x 8	96 x 20 x 8	71 x 12.2 x 7.5	96 x 12.2 x 7.5	56.9 x 20 x 8	72 x 25.2 x 8
Weight (lbs)	41	51	39	60	46	59	52.5	97
Model and Datasheet Link	MX06FHG665-HG	MX06FHG865-HG	MX08FHG665-HG	MX08FHG865-BHG	MX10FHG665-HG	MX10FHG865-HG	MX12FHG445-01	MX12FHG865-01

Bold indicates Models currently in Pooling
Bold indicates Models moving into Pooling 1/26